

EL-600

600TVL Indoor Mini Box Camera



This little camera can do it all especially where size matters. The EL-600 has an extremely compact design and footprint, making it 'discreet' for a box style camera. The EL-600 utilizes the 1/3" Sony Super HAD II featured in many of our other cameras, enabling high-resolution 600TVL video output. Beyond this, the EL-600 has excellent low light sensitivity, is a true Day/Night camera, and also includes lighting compensation features such as BLC and DWDR. RS-485 communication enables the camera to be remotely configured, enabling installers to rapidly make changes.

*Lens not included.

Features

- Compatible with various lens types (Lens not included)
- 1/3 Sony Super HAD II CCD
- Excellent low light sensitivity of 0.3lux / 1.2
- DWDR
- Built in OSD Controller
- 600TVL
- RS-485 Communication

EL-600

Specifications

Model	EL-600
Camera	
Signal Format	NTSC
Image Sensor	1/3" SONY High-Resolution Super HAD II CCD
Horizontal Resolution	600TV Lines
Effective Pixels	768(H)×494(V)
Scanning System	2:1 Interlace
Synchronization	Internal
Scanning Frequency	15.734 KHz(H), 59.94 Hz(V)
Min. Illumination	0.3Lux@F1.2
Electronic Shutter	1/60 ~ 1/100,000 sec
Iris Control	DC Manual
Signal to Noise Ratio	52dB (AGC Off. Weight On)
Camera Features	
Backlight Compensation	BLC / HLC / Off
Digital Noise Reduction	On / Off (Level adjustable)
Day & Night	Auto / Color / BW / EXT
Digital WDR	On / Off
Motion Detection	On / Off (4 zones)
Privacy	On / Off (8 zones)
Horizontal Mirror	On / Off
Communication	Protocol: Pelco D/P, Cam ID: 255, 2400~57600 baud
Blemish Consumption	64 Point (Auto)
Lens Shading	On / Off
Parking Line	User Setting (LT, LB, RT, RB, F, N, T)
OSD	Built-in (English, Chinese)
General	
Input Voltage	DC 12V (±10%)
Power Consumption	Max. 1.0W
Operating Temperature	-14°F ~ 122°F-25°C ~ 50°C
Humidity	30% ~ 80% RH
Dimensions	1.68"×1.65"×2.27"/42.6mm×42mm×57.6mm
Weight	0.44lb/200g

EL-600

Accessories



[OUTDOOR HOUSING](#)



[M4](#)



[PWR-12VDC](#)



[LENS-TAM-2.8-12MM AI](#)

NOTE: Not all available accessories are shown.