

ICIP-360L4

4 Megapixel Indoor, 360° Low Profile Network Dome Camera



A 4.0 Megapixel 360° Indoor Dome camera with a built in microphone. The ICIP360L4 series camera is a realtime, 360° situational awareness camera. It is capable of recording a wide area of surveillance, and de-warping the native FishEye view in order to watch a stream that is undistorted to the human eye.

Features

- IK10
- Built in Microphone
- PoE
- IC720 Platform Compatible



ICIP-360L4

Specifications

Model	ICIP-360L4
Camera	
Image Sensor	1/3" 4Megapixel progressive scan CMOS
Effective Pixels	2592(H)×1520(V)
Scanning System	Progressive
Electronic Shutter Speed	Auto/Manual 1/3(4)~1/10000
Min. Illumination	0.01lux/F2.0(color) ,0.001Lux@F2.0(B/W)
S/N Ratio	> 50dB
Video Output	N/A
Camera Features	
Max. IR LEDs Length	N/A
Day/Night	Auto(Electronic)/Color/B/W
Backlight Compensation	BLC/HLC/DWDR
White Balance	Auto / Manual
Gain Control	Auto / Manual
Noise Reduction	3D
Privacy Masking	Up to 4 areas
Lens	
Focal Length	1.18mm
Max Aperture	F2.0
Focus Control	Manual
Angle of View	H:180°
Lens Type	Fixed lens
Mount Type	Board-in Type
Video	
Compression	H.264/ MJPEG
Resolution	4M(2592×1520)/3M(2048×1520)/UXGA(1600×1200)/1.3M(1280×960)/720P(1280×720)/D1(704×576/704×480)/CIF(352×288/352×240)
Frame Rate	Main Stream - 4M(1~15fps)/ 3M (1 ~ 25/30fps) Sub Stream - D1/CIF(1 ~ 25/30fps)
Bit Rate	H.264: 20K ~ 8192Kbps
Audio	
Compression	G.711a/G.711u/PCM
Interface	1/1 channel In/Out(Built in Mic)
Network	
Ethernet	RJ-45 (10/100Base-T)
Wi-Fi	N/A
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour
Compatibility	ONVIF,PSIA,CGI
Max. User Access	20 users
Smart Phone	iPhone, iPad, Android, Windows Phone
Auxiliary Interface	

Memory Slot	Micro SD, Max 64GB
RS485	N/A
Alarm	1/1 channel In/Out
PIR Sensor Range	N/A
General	
Power Supply	12VDC,PoE
Power Consumption	Max 6W
Working Environment	-22°F ~ 140°F (-30°C ~ 60°C), Less than 95% RH
Ingress Protection	N/A
Vandal Resistance	IK10
Dimensions (D×H)	Φ4.33×2.13 (Φ110×54 mm)
Weight	0.55lbs (0.25kg)

ICIP-360L12

Optional Accessories



[MNT-IPMINIDOME-WALL](#)



[MNT-JUNCTION BOX 2](#)



[MNT-PCNRIP](#)



[MNT-POLIP](#)